

A DETAILED INDEX APPEARS ON THE
KEY SHEET OF EACH COMPONENT

INDEX OF ROADWAY PLANS

SHEET NO.	SHEET DESCRIPTION
1	KEY SHEET
2A	SEGMENT #1 SUMMARY OF PAY ITEMS (BID ALT. #1)
2B	SEGMENT #2 SUMMARY OF PAY ITEMS (BASE BID)
3	TYPICAL SECTIONS (BASE & BID ALT. #1)
4	SUMMARY OF DRAINAGE STRUCTURES (BASE & BID ALT. #1)
4B-4C	SUMMARY OF DRAINAGE STRUCTURES (BID ALT. #1)
4D-4F	SUMMARY OF DRAINAGE STRUCTURES (BASE BID)
5A	SEGMENT #1, PROJECT LAYOUT (BID ALT. #1)
5B	SEGMENT #2, PROJECT LAYOUT (BASE BID)
6	GENERAL NOTES (BASE & BID ALT. #1)
7-18	SEGMENT #1 PLAN SHEET (BID ALT. #1)
19-41	SEGMENT #2 PLAN SHEET (BASE BID)
42-53A	SEGMENT #1 PIPE PROFILES (BID ALT. #1)
54-66	SEGMENT #2 PIPE PROFILES (BASE BID)
69-85	SEGMENT #1 SECTIONS (BID ALT. #1)
86-117	SEGMENT #2 SECTIONS (BASE BID)
118-121	DETAILS (BASE & BID ALT. #1)
122-128	SEGMENT #1 SIGNING & PAVEMENT MARKING PLANS (BID ALT. #1)
129-140	SEGMENT #2 SIGNING & PAVEMENT MARKING PLANS (BASE BID)
141	SIGNING & PAVEMENT MARKING DETAILS (BASE & BID ALT. #1)
142	TEMPORARY TRAFFIC CONTROL NOTES (BASE & BID ALT. #1)
143-144	STORMWATER POLLUTION PREVENTION PLAN (BASE & BID ALT. #1)
145	EROSION & SEDIMENTATION CONTROL DETAILS (BASE & BID ALT. #1)

GOVERNING STANDARD PLANS:

The Standard Plans for Road Construction and associated IRs are available at the following website:
<http://www.fdot.gov/design/standardplans>

APPLICABLE IRS:

Standard Plans for Bridge Construction are included in the Structural Plans Components.

GOVERNING STANDARD SPECIFICATIONS:

Florida Department of Transportation, Jan 2025 Standard Specifications for Road and Bridge Construction at the following website:
<http://www.fdot.gov/programmanagement/implemented/SpecBooks>

CITY OF MARCO ISLAND
CONTRACT PLANS

COLLIER BLVD. BIKE LANE IMPROVEMENTS

BASE BID

SEGMENT #2 FROM WINTERBERRY DR. TO COLLIER CT.

BID ALTERNATE #1


SEGMENT #1 FROM AMAZON CT. TO SAN MARCO RD.

CITY PROJECT No.:

COLLIER COUNTY, FLORIDA

FIDOT PROJECT NUMBER: 448127-1-58-01

A FEDERALLY FUNDED PROJECT



NOTE: THE SCALE OF THESE PLANS MAY HAVE CHANGED DUE TO REPRODUCTION.


PREPARED BY:

448127 -1-58-01

Bowman

FLORIDA CERTIFICATE OF AUTHORIZATION NUMBER 30462

Domman Consulting Group, Ltd.
950 Eureka Way
Naples, FL 34110
Phone (239) 254-2000
www.dommanconsulting.com
© Domman Consulting Group, Ltd.

[illegible]

*THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

LETTER	INVERSIONS	DATE

**Collier Blvd.
Bike Lane**



HOLE MONTES
a Bowman company

DAVID COHEN, 1117 25th
P.E. NO.: 41671
HOLE MONTES, INC.
950 ENCORE WAY
MAPLES, FL. 34110
CERTIFICATE OF AUTHORIZATION No. 1772

SUMMARY
SEGMENT #1 (

PROJECT SUMMARY OF PAY ITEMS				PROJECT SUMMARY OF PAY ITEMS			
ITEM NUMBER	ITEM DESCRIPTION	UNITS	QUANTITY	ITEM NUMBER	ITEM DESCRIPTION	UNITS	QUANTITY
101-1	MOBILIZATION	LS	1	700-1-111	SINGLE POST SIGN	AS	15
102-1	MAINTENANCE OF TRAFFIC	LS	1	700-1-500	SINGLE POST SIGN, RELOCATE	AS	43
104-10-3	SEDIMENT BARRIER	LF	620	711-11-141	THERMOPLASTIC, STD. WHITE, 6" (2-4 SKIP)	LF	85
104-18	INLET PROTECTION SYSTEM	EA	96	711-11-160	THERMOPLASTIC, STD. SYMBOL	EA	26
110-1-1	CLEARING AND GRUBBING	AC	4.15	711-15-101	THERMOPLASTIC, STD. WHITE, SOLID, 6"	GM	4.99
110-4-10	REMOVAL OF EXISTING CONCRETE	SY	2798				
110-4-10-4X	REMOVAL OF EXISTING PAVERS	SY	317				
110-7-1	MAIL BOX	EA	69	0000-700-1	GENERIC PAY ITEM, IRRIGATION RELOCATION	EA	12
120-1	REGULAR EXCAVATION	CY	100				
120-6	EMBANKMENT	CY	800				
160-4	TYPE 'B' STABILIZATION (4")	SY	10557				
285-701	OPTIONAL BASE GROUP (4" LIMEROCK)	SY	9928				
334-114	ASPHALTIC CONCRETE (5.1, 1")	SY	9299				
425-10	FDOT TYPE 'X' YARD DRAIN	EA	64				
425-11	MODIFY EXISTING DRAINAGE STRUCTURE	EA	5				
425-1521	FDOT TYPE 'C' INLET, <10"	EA	11				
425-1541	FDOT TYPE 'D' INLET, <10"	EA	3				
430-96	DRAINAGE PIPE REPAIR (CONC. COLLAR)	EA	16				
430-175-112	OPTIONAL PIPE (12" HP)	LF	76				
430-175-115	OPTIONAL PIPE (15" HP)	LF	5006				
430-175-118	REINFORCED CONCRETE PIPE (18")	LF	25				
430-175-124	REINFORCED CONCRETE PIPE (24")	LF	25				
430-984-123	Mitered End Section 15"	EA	2				
520-2-4	FDOT TYPE 'D' CURB (MODIFIED)	LF	210				
522-1	CONCRETE SIDEWALK, 4" THICK	SY	2201				
522-2	CONCRETE DRIVEWAY, 6" THICK	SY	2608				
527-2	DETECTABLE WARNING (INSET/NET SET TYPE)	EA	36				
570-1-2	PERFORMANCE TURF, SOD	SY	8528				

COLLIER BLVD.

BIKE LANE

City of

Milwaukee

HOLEMONTES

8 DOWNTOWN SQUARE

DAVID SCHMITT, P.E.

P.E. NO.: 41871

HOLEMONTES, INC.

990 ENDRE WAY

WATKINS, IL 60110

815.426.1172

CERTIFICATE OF AUTHORIZATION

WIS.1712

SUMMARY OF PAY ITEMS

SEGMENT #2 (BASE BID)

DRW NO. 448127-1-SB-01

BASE



2022101

DRWING CURRENT AS OF: 3/11/25

SEGMENT #2 (BASE BID)

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

01 *THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

[illegible]

FDOT NO.: 448127-1-58-0*

HIM PROJECT NO.:	SHEET NO.:
------------------	------------


DAVID SCHMILL, P.E.
P.E. NO.: 41671
HOLE MONTES, INC.
6200 WHISKEY CREEK DRIVE
FORT MYERS, FL. 33919
CERTIFICATE OF AUTHORIZATION No. 1772

BID ALTERNATE #1 - EXISTING STRUCTURES

STR. NO.	STREET	STATION	SIDE	DESCRIPTION	BARRELS	STORM AND CROSS MAIN OPTION TYPE				DITCH BOTTOM INVERT				MODIFICATIONS TO STRUCTURES				REMARKS
						ROUND SHAPE	OTHER	X	C	D				INV. R	INV. S.	INV. E	INV. W.	
EX-1	Amazon	0+67	18.2 R.	Existing Inlet	2						PROPOSED RIM ELEV.			15" HP 0.40				CONE NEW INVERT (E)
EX-2	Amazon	1+85	20.5 L.	Existing Inlet	2		204				44.381	EX 10"		2-4" HOLE @ 2.10				CONE NEW INV. E/W
EX-3	Castaway	12+17	19.8 L.	Existing Inlet	4						33500			15" HP EX	EX	EX		CONE NEW INVERT (S)
EX-4	Castaway	19+73	19.0 L.	Existing Inlet	2						3.40			15" HP @ 0.50	EX	EX		CONE NEW INVERT (S)
EX-5	Greenbrier	13+63	42.3 L.	Existing Inlet	2						2.40			15" HP @ 0.50	EX			CONE NEW INVERT (W)
EX-6	Greenbrier	17+45	37.5 L.	Existing Inlet	2						2.48			15" HP @ 0.82	EX			CONE NEW INVERT (W)
EX-7	Greenbrier	28+60	37.0 L.	Existing Inlet	2						4.00			15" HP @ 2.00				EX.
EX-8	Greenbrier	28+60	37.0 L.	Existing Inlet	2						3.86			15" HP @ 2.00				EX.
EX-9	Removed																	
SUB-TOTAL																		

BASE BID - EXISTING STRUCTURES

STR. NO.	STREET	STATION	SIDE	DESCRIPTION	BARRELS	STORM AND CROSS MAIN OPTION TYPE				DITCH BOTTOM INVERT				MODIFICATIONS TO STRUCTURES				REMARKS
						ROUND SHAPE	OTHER	X	C	D				INV. R	INV. S.	INV. E	INV. W.	
EX-10	Scuppernon	20+65	R.	Existing Inlet	2						PROPOSED RIM ELEV.			15" HP @ 1.35	EX.			CONE NEW INVERT (W)
EX-11	Scuppernon	20+15	L.	Existing Inlet	4						3.48	EX.		EX.	EX.			PAISE GRATE TO COP
EX-12	Scuppernon	35+65	L.	Existing Inlet	4						4.0700	EX.		15" HP @ 1.20	EX.			CONE NEW INVERT (S)
EX-13	Swallow	13+50	L.	Existing Inlet	2						3.09			15" HP @ 0.70		EX.		CONE NEW INVERT (W)
EX-14	Swallow	14+35	R.	Existing Inlet	3						23800			15" HP @ 0.70	EX.			CONE NEW INVERT (W)
SUB-TOTAL																		

						DAVID SCHMITT, P.E. P.E. NO.: 41671 HOLE MONITORING, INC. 1500 S. US HWY 1 MAPLES FL 34110 CERTIFICATE OF AUTHORIZATION NO. 1772		SUMMARY OF DRAINAGE STRUCTURES		JOB FILE NAME: 448127-1-SB-01		DRAWING NO.: BASE		SHEET NO.: 4A	
LETTER	REVISION	DATE													

BID ALTERNATE #1 - PROPOSED STRUCTURES

STA. NO.	STREET	STATION	SIDE	DESCRIPTION	BARRELS		STORM AND GROSS DRAIN				DITCH				MODIFICATIONS TO STRUCTURES				REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
							ROUND SHAPE		OTHER	X	C	D	PROPOSED R/W ELEV.	INV. N	INV. S	INV. E	INV. W.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
							12" HP	15" HP																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
																		18" HP																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

DRAWING CURRENT AS OF: 2/13/25

DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772		DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772		DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772		DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772		DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772	
DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772		DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772		DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772		DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772		DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772	

SUMMARY OF DRAINAGE
STRUCTURES

DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772	DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772	DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772	DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772
DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772	DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772	DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772	DAVID SCHMITT, P.E. P.E. NO. 41671 HOLE MOUNTS, INC. 1000 S. W. 10th Ave. MABLES, FL 34110 CERTIFICATE OF AUTHORIZATION No. 1772

[illegible][illegible]

[illegible]

DRAWING CURRENT AS OF: 2/13/25	FOOT NO. 448127-1-58-01	
	CAD FILE NAME:	DRAWING NO.
TYPE OF DRAINAGE STRUCTURES	*	BASE
	NAI PROJECT NO:	SHEET NO.
	2022101	40


*THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


SR. NO.	STREET	STATION	SIDE	DESCRIPTION	BARRELS		STORM AND SEWER DRAIN		DITCH		MODIFICATIONS TO STRUCTURES	REMARKS						
					ROUND SHAPE	OTHER	OPTION TYPE		X	C								
							18" RC	15" HP			D							
					FLAT		RIP RAP		BUILT		RIN ELEV.							
											INV. M							
											INV. S.							
											INV. F							
											INV. M							


DRAWING CURRENT AS OF: 2/11/25		POST NO. 448127-1-58-01	
DAVID SCHMITT, P.E.		DRAWING NO.	
P.E. NO. 41671		BASE	
HOLE MONTES, INC.		PROJECT NO.	
1905 NW 11th St.		SHEET NO.	
MADISON, FL 34410		4E	
CERTIFICATE OF AUTHORIZATION No. 1772		2022101	
SUMMARY OF DRAINAGE STRUCTURES			
 Hole Montes A Residential Specialty		 City of Marco Island	
 Collier Blvd. Bikes Lane			
DATE	REVISION	LETTER	

[illegible][illegible]

CAD FILE NAME:	DRAWING NO.
.	BASE
HW PROJECT NO.:	SHEET NO.:
2022101	4F











CASTAWAYS STREET
PLAN SHEET

	BASE
* FULL PRODUCT NAME 2022101	SHEET NAME 8




*THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.




*THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


MATCH LINE SEE STA.19+50.00



*THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

*THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.





Collins Blvd. Bike Lane						GREENBRIER STREET PLAN SHEET	
DAVID SCHULTZ, P.E. P.E. NO.: 41871 HOLE MONTES, INC. 950 ENCORE WAY MAPLES, FL 34110		CERTIFICATE OF AUTHORIZATION NO. 1772		DRAWING NO. 448127-1-58-01		DATE: 2022101	

- LEGEND:**
- 1. CONTRACTOR TO RELOCATE EXISTING MAILBOXES TO 2.0' OFF OF PAVEMENT
 - 2. CONTRACTOR TO RELOCATE EXISTING SIGNS TO 3.0' OFF OF PAVEMENT
 - 3. WATER MAIN AND APPURTENANCES ARE TO BE RELOCATED UNDER SEPARATE CONTRACT. BY THE CONTRACTOR.
 - 4. ALL OTHER UTILITIES TO BE MODIFIED BY OTHERS.

NOTE:

1. CONTRACTOR TO RELOCATE EXISTING MAILBOXES TO 2.0' OFF OF PAVEMENT

2. CONTRACTOR TO RELOCATE EXISTING SIGNS TO 3.0' OFF OF PAVEMENT

3. WATER MAIN AND APPURTENANCES ARE TO BE RELOCATED UNDER SEPARATE CONTRACT. BY THE CONTRACTOR.

4. ALL OTHER UTILITIES TO BE MODIFIED BY OTHERS.

LEGEND:

- 1. CONTRACTOR TO RELOCATE EXISTING MAILBOXES TO 2.0' OFF OF PAVEMENT
- 2. CONTRACTOR TO RELOCATE EXISTING SIGNS TO 3.0' OFF OF PAVEMENT
- 3. WATER MAIN AND APPURTENANCES ARE TO BE RELOCATED UNDER SEPARATE CONTRACT. BY THE CONTRACTOR.
- 4. ALL OTHER UTILITIES TO BE MODIFIED BY OTHERS.

LEGEND:

- 1. CONTRACTOR TO RELOCATE EXISTING MAILBOXES TO 2.0' OFF OF PAVEMENT
- 2. CONTRACTOR TO RELOCATE EXISTING SIGNS TO 3.0' OFF OF PAVEMENT
- 3. WATER MAIN AND APPURTENANCES ARE TO BE RELOCATED UNDER SEPARATE CONTRACT. BY THE CONTRACTOR.
- 4. ALL OTHER UTILITIES TO BE MODIFIED BY OTHERS.

LEGEND:

- 1. CONTRACTOR TO RELOCATE EXISTING MAILBOXES TO 2.0' OFF OF PAVEMENT
- 2. CONTRACTOR TO RELOCATE EXISTING SIGNS TO 3.0' OFF OF PAVEMENT
- 3. WATER MAIN AND APPURTENANCES ARE TO BE RELOCATED UNDER SEPARATE CONTRACT. BY THE CONTRACTOR.
- 4. ALL OTHER UTILITIES TO BE MODIFIED BY OTHERS.

LEGEND:


- 1. CONTRACTOR TO RELOCATE EXISTING MAILBOXES TO 2.0' OFF OF PAVEMENT
- 2. CONTRACTOR TO RELOCATE EXISTING SIGNS TO 3.0' OFF OF PAVEMENT
- 3. WATER MAIN AND APPURTENANCES ARE TO BE RELOCATED UNDER SEPARATE CONTRACT. BY THE CONTRACTOR.
- 4. ALL OTHER UTILITIES TO BE MODIFIED BY OTHERS.


LEGEND:


- 1. CONTRACTOR TO RELOCATE EXISTING MAILBOXES TO 2.0' OFF OF PAVEMENT
- 2. CONTRACTOR TO RELOCATE EXISTING SIGNS TO 3.0' OFF OF PAVEMENT
- 3. WATER MAIN AND APPURTENANCES ARE TO BE RELOCATED UNDER SEPARATE CONTRACT. BY THE CONTRACTOR.
- 4. ALL OTHER UTILITIES TO BE MODIFIED BY OTHERS.


LEGEND:

- 1. CONTRACTOR TO RELOCATE EXISTING MAILBOXES TO 2.0' OFF OF PAVEMENT
- 2. CONTRACTOR TO RELOCATE EXISTING SIGNS TO 3.0' OFF OF PAVEMENT
- 3. WATER MAIN AND APPURTENANCES ARE TO BE RELOCATED UNDER SEPARATE CONTRACT. BY THE CONTRACTOR.
- 4. ALL OTHER UTILITIES TO BE MODIFIED BY OTHERS.











*THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



448127-1-58-1	DRIVING NO.	
448127-1-58-1	BASE	
2022101	SHEET NO.	18

*THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



*THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



City of
Marco Island



DAVID SCHMITT, P.E.
P.E. NO.: 41671
HOLE MONTES, INC.
950 ENCORE WAY
MAPLES, FL. 34110
CERTIFICATE OF AUTHORIZATION No. 1772

PERU STREET
PLAN SHEET

DO FILE NAME	DRAWING NO.
.	BASE
IMP PROJECT NO.	SHEET NO.
2022101	20

DRAWING CURRENT AS OF: 3/21/24

44B127-1-58-0

1. CONTRACTOR TO RELOCATE EXISTING MAILBOXES TO 2.0' OFF OF PAVEMENT
2. CONTRACTOR TO RELOCATE EXISTING SIGNS TO 3.0' OFF OF PAVEMENT
3. WATER MAIN AND APPURTENANCES ARE TO BE RELOCATED UNDER SEPARATE CONTRACT
4. SEWER LATERAL CONFLICTS TO BE MADE BY THE CONTRACTOR.
5. ALL OTHER UTILITIES TO BE MODIFIED BY OTHERS.

*THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.